

NEWS X25 X.25 communication option no longer available

Enter NEWS followed by the item number or name to see news on that specific topic.

All use of STN is subject to the provisions of the STN Customer agreement. Please note that this agreement limits use to scientific research. Use for software development or design or implementation of commercial gateways or other similar uses is prohibited and may result in loss of user privileges and other penalties.

* * * * * STN Columbus * * * * *

FILE 'HOME' ENTERED AT 11:42:12 ON 08 JAN 2007

=> file caplus

COST IN U.S. DOLLARS	SINCE FILE ENTRY	TOTAL SESSION
FULL ESTIMATED COST	0.21	0.21

FILE 'CAPLUS' ENTERED AT 11:42:36 ON 08 JAN 2007

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2007 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 8 Jan 2007 VOL 146 ISS 3

FILE LAST UPDATED: 7 Jan 2007 (20070107/ED)

Effective October 17, 2005, revised CAS Information Use Policies apply. They are available for your review at:

<http://www.cas.org/infopolicy.html>

=> s polyfluoroalkyl iodide (p) ethylene (p) copper

1610 POLYFLUOROALKYL
1 POLYFLUOROALKYLS
1610 POLYFLUOROALKYL
(POLYFLUOROALKYL OR POLYFLUOROALKYLS)
180541 IODIDE
24898 IODIDES
190628 IODIDE
(IODIDE OR IODIDES)
91 POLYFLUOROALKYL IODIDE
(POLYFLUOROALKYL(W) IODIDE)
538368 ETHYLENE
3381 ETHYLENES
539855 ETHYLENE
(ETHYLENE OR ETHYLENES)
918588 COPPER
443 COPPERS
918652 COPPER
(COPPER OR COPPERS)
L1 1 POLYFLUOROALKYL IODIDE (P) ETHYLENE (P) COPPER

Connecting via Winsock to STN

Welcome to STN International! Enter x:x

LOGINID:sssptal202jxp

PASSWORD:

TERMINAL (ENTER 1, 2, 3, OR ?):2

* * * * * Welcome to STN International * * * * *

NEWS	1		Web Page URLs for STN Seminar Schedule - N. America
NEWS	2		"Ask CAS" for self-help around the clock
NEWS	3	AUG 09	INSPEC enhanced with 1898-1968 archive
NEWS	4	AUG 28	ADISCTI Reloaded and Enhanced
NEWS	5	AUG 30	CA(SM)/Caplus(SM) Austrian patent law changes
NEWS	6	SEP 21	CA/Caplus fields enhanced with simultaneous left and right truncation
NEWS	7	SEP 25	CA(SM)/Caplus(SM) display of CA Lexicon enhanced
NEWS	8	SEP 25	CAS REGISTRY(SM) no longer includes Concord 3D coordinates
NEWS	9	SEP 25	CAS REGISTRY(SM) updated with amino acid codes for pyrrolysine
NEWS	10	SEP 28	CEABA-VTB classification code fields reloaded with new classification scheme
NEWS	11	OCT 19	LOGOFF HOLD duration extended to 120 minutes
NEWS	12	OCT 19	E-mail format enhanced
NEWS	13	OCT 23	Option to turn off MARPAT highlighting enhancements available
NEWS	14	OCT 23	CAS Registry Number crossover limit increased to 300,000 in multiple databases
NEWS	15	OCT 23	The Derwent World Patents Index suite of databases on STN has been enhanced and reloaded
NEWS	16	OCT 30	CHEMLIST enhanced with new search and display field
NEWS	17	NOV 03	JAPIO enhanced with IPC 8 features and functionality
NEWS	18	NOV 10	CA/Caplus F-Term thesaurus enhanced
NEWS	19	NOV 10	STN Express with Discover! free maintenance release Version 8.01c now available
NEWS	20	NOV 20	CAS Registry Number crossover limit increased to 300,000 in additional databases
NEWS	21	NOV 20	CA/Caplus to MARPAT accession number crossover limit increased to 50,000
NEWS	22	DEC 01	CAS REGISTRY updated with new ambiguity codes
NEWS	23	DEC 11	CAS REGISTRY chemical nomenclature enhanced
NEWS	24	DEC 14	WPIDS/WPINDEX/WPIX manual codes updated
NEWS	25	DEC 14	GBFULL and FRFULL enhanced with IPC 8 features and functionality
NEWS	26	DEC 18	CA/Caplus pre-1967 chemical substance index entries enhanced with preparation role
NEWS	27	DEC 18	CA/Caplus patent kind codes updated
NEWS	28	DEC 18	MARPAT to CA/Caplus accession number crossover limit increased to 50,000
NEWS	29	DEC 18	MEDLINE updated in preparation for 2007 reload
NEWS	30	DEC 27	CA/Caplus enhanced with more pre-1907 records

NEWS EXPRESS NOVEMBER 10 CURRENT WINDOWS VERSION IS V8.01c, CURRENT MACINTOSH VERSION IS V6.0c(ENG) AND V6.0Jc(JP), AND CURRENT DISCOVER FILE IS DATED 25 SEPTEMBER 2006.

NEWS HOURS STN Operating Hours Plus Help Desk Availability

NEWS LOGIN Welcome Banner and News Items

NEWS IPC8 For general information regarding STN implementation of IPC 8

=> d 11 ibib ab

L1 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2007 ACS on STN
ACCESSION NUMBER: 2003:1006848 CAPLUS
DOCUMENT NUMBER: 140:17105
TITLE: Metallic copper catalyst for polyfluoroalkylethyl
iodide production and process for producing
polyfluoroalkylethyl iodides
INVENTOR(S): Funakoshi, Yoshirou; Miki, Jun
PATENT ASSIGNEE(S): Daikin Industries, Ltd., Japan
SOURCE: PCT Int. Appl., 21 pp.
CODEN: PIXXD2
DOCUMENT TYPE: Patent
LANGUAGE: Japanese
FAMILY ACC. NUM. COUNT: 1
PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003106023	A1	20031224	WO 2003-JP7643	20030617
W:	AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW			
RW:	GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PT, RO, SE, SI, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG			
AU 2003241701	A1	20031231	AU 2003-241701	20030617
CN 1662302	A	20050831	CN 2003-814144	20030617
US 2005250966	A1	20051110	US 2004-516940	20041215
PRIORITY APPLN. INFO.:			JP 2002-175381	A 20020617
			WO 2003-JP7643	W 20030617

OTHER SOURCE(S): MARPAT 140:17105

AB Copper catalyzes the addition of ethylene to polyfluoroalkyl iodides to prepare polyfluoroalkylethyl iodides. Thus, 138.6 g C2F5I, 8.21 g Cu, and 1.0 MPa C2H4 were heated 80 min at 80° to give perfluoroethylethyl iodide at selectivity 99.8% and C2F5I conversion 99.5%.

REFERENCE COUNT: 32 THERE ARE 32 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> s polyfluoromethyl iodide (p) (ethylene) (P) copper

17 POLYFLUOROMETHYL
180541 IODIDE
24898 IODIDES
190628 IODIDE
(IODIDE OR IODIDES)
0 POLYFLUOROMETHYL IODIDE
(POLYFLUOROMETHYL (W) IODIDE)
538368 ETHYLENE
3381 ETHYLENES
539855 ETHYLENE
(ETHYLENE OR ETHYLENES)
918588 COPPER
443 COPPERS
918652 COPPER
(COPPER OR COPPERS)

L2 0 POLYFLUOROMETHYL IODIDE (P) (ETHYLENE) (P) COPPER

=> d his

(FILE 'HOME' ENTERED AT 11:42:12 ON 08 JAN 2007)

FILE 'CAPLUS' ENTERED AT 11:42:36 ON 08 JAN 2007

L1 1 S POLYFLUOROALKYL IODIDE (P) ETHYLENE (P) COPPER
L2 0 S POLYFLUOROMETHYL IODIDE (P) (ETHYLENE) (P) COPPER

=> s polyfluoroethyl iodide (p) (ethylene) (P) copper

17 POLYFLUOROETHYL
180541 IODIDE
24898 IODIDES
190628 IODIDE
(IODIDE OR IODIDES)
0 POLYFLUOROETHYL IODIDE
(POLYFLUOROETHYL(W) IODIDE)
538368 ETHYLENE
3381 ETHYLENES
539855 ETHYLENE
(ETHYLENE OR ETHYLENES)
918588 COPPER
443 COPPERS
918652 COPPER
(COPPER OR COPPERS)

L3 0 POLYFLUOROETHYL IODIDE (P) (ETHYLENE) (P) COPPER

=> s polyfluoroethyl iodide (l) (ethylene) (l) copper

17 POLYFLUOROETHYL
180541 IODIDE
24898 IODIDES
190628 IODIDE
(IODIDE OR IODIDES)
0 POLYFLUOROETHYL IODIDE
(POLYFLUOROETHYL(W) IODIDE)
538368 ETHYLENE
3381 ETHYLENES
539855 ETHYLENE
(ETHYLENE OR ETHYLENES)
918588 COPPER
443 COPPERS
918652 COPPER
(COPPER OR COPPERS)

L4 0 POLYFLUOROETHYL IODIDE (L) (ETHYLENE) (L) COPPER

=> s polyfluoropropyl iodide (l) (ethylene) (l) copper

9 POLYFLUOROPROPYL
180541 IODIDE
24898 IODIDES
190628 IODIDE
(IODIDE OR IODIDES)
0 POLYFLUOROPROPYL IODIDE
(POLYFLUOROPROPYL(W) IODIDE)
538368 ETHYLENE
3381 ETHYLENES
539855 ETHYLENE
(ETHYLENE OR ETHYLENES)
918588 COPPER
443 COPPERS
918652 COPPER
(COPPER OR COPPERS)

L5 0 POLYFLUOROPROPYL IODIDE (L) (ETHYLENE) (L) COPPER

=> s polyfluorobutyl iodide (l) (ethylene) (l) copper

3 POLYFLUOROBUTYL

180541 IODIDE
24898 IODIDES
190628 IODIDE
 (IODIDE OR IODIDES)
 1 POLYFLUOROBUTYL IODIDE
 (POLYFLUOROBUTYL(W) IODIDE)
538368 ETHYLENE
3381 ETHYLENES
539855 ETHYLENE
 (ETHYLENE OR ETHYLENES)
918588 COPPER
443 COPPERS
918652 COPPER
 (COPPER OR COPPERS)

L6 0 POLYFLUOROBUTYL IODIDE (L) (ETHYLENE) (L) COPPER

=> s polyfluoropentyl iodide (l) (ethylene) (l) copper

3 POLYFLUOROPENTYL
180541 IODIDE
24898 IODIDES
190628 IODIDE
 (IODIDE OR IODIDES)
 0 POLYFLUOROPENTYL IODIDE
 (POLYFLUOROPENTYL(W) IODIDE)
538368 ETHYLENE
3381 ETHYLENES
539855 ETHYLENE
 (ETHYLENE OR ETHYLENES)
918588 COPPER
443 COPPERS
918652 COPPER
 (COPPER OR COPPERS)

L7 0 POLYFLUOROPENTYL IODIDE (L) (ETHYLENE) (L) COPPER

=> s polyfluorohexyl iodide (l) (ethylene) (l) copper

0 POLYFLUOROHEXYL
180541 IODIDE
24898 IODIDES
190628 IODIDE
 (IODIDE OR IODIDES)
 0 POLYFLUOROHEXYL IODIDE
 (POLYFLUOROHEXYL(W) IODIDE)
538368 ETHYLENE
3381 ETHYLENES
539855 ETHYLENE
 (ETHYLENE OR ETHYLENES)
918588 COPPER
443 COPPERS
918652 COPPER
 (COPPER OR COPPERS)

L8 0 POLYFLUOROHEXYL IODIDE (L) (ETHYLENE) (L) COPPER